


Fișă tehnică | Număr articol: 221-522

Suport de montaj; pentru reglete cu 2 conductori; Seria 221 - 4 mm²; cu picior de montare pentru montare verticală; alb

<https://www.wago.com/221-522>



Culoare: alb

Similar cu ilustrația

Physical data

Width	18,1 mm / 0.713 inch
Height	57,3 mm / 2.256 inch
Height from the surface	52,8 mm / 2.079 inch
Depth	16,9 mm / 0.665 inch

Mechanical data

Mounting type	with snap-in mounting foot for vertical mounting
Suitable	for 2-wire connectors (4 mm ²)

Material data

Note (material data)	Information on material data can be found here
Color	alb
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0 MJ
Weight	2.9 g

Commercial data

eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 7.0	EC002848
ETIM 6.0	EC002848
PU (SPU)	50 (10) Stück
Packaging type	Box
Country of origin VKOrg Germany	CN
GTIN	4055143595858
Customs tariff number VKOrg Germany	39269097900



Descărcări

Documentation

Additional Information


Technical Section	pdf 2142.18 KB	
-------------------	-------------------	---

Bid Text


221-522	19.02.2019	xml 2.73 KB	
221-522	04.01.2018	doc 24.00 KB	

CAD/CAE-Data

CAD data

2D/3D Models 221-522	
----------------------	---

CAE data

ZUKEN Portal 221-522	
----------------------	---

1 Produse compatibile

1.1 Accesorii opționale

1.1.1 Marking


1.1.1.1 Marking strip



Nr. articol: 210-833

Benzi de marcaj; 25 m pe rolă; Lățime de 6 mm; simplu;; Auto-adeziv; alb

Note de instalare



Inserting a connector into the mounting carrier.





Removing a connector from the mounting carrier.

Conductor termination



Inserting a conductor.



Horizontal screw mounting

Vertical screw mounting

Horizontal mounting via snap-in foot

Vertical mounting via snap-in foot


Strain relief



Use a cable tie to secure the conductors to the strain relief plate.

The strain relief plate can be removed.

Testing



Testing a connector mounted on the carrier via test slot.

Application



Connecting a light to the mains.

Marking



Labeling the mounting carrier.