*KZS-1M 1p+N A B13/0.01 6kA



Specificatii

Cod ETI	002175413
Descriere	*KZS-1M 1p+N A B13/0.01 6kA
Denumire clasă	Disjunctor cu protec ie diferen ială (RCBO)
Curent nominal (A)	13A
Tip	A
Curent de defect nominal (A)	0.01A
Caracteristică de întrerupere	B
Număr de poli	1+N
Capacitatea de rupere (kA)	6kA
Sec iune transversală nominală	1mm²-10mm²
Standarde	IEC 61009

Pagina de produse online


Alta documentatie

Catalog caracteristici tehnice
Model 3D
2D mușchi
Manual de instructiuni
Declaratie CE
Eplan mușchi

ETIM clasificare internationala

Clasificare	EC000905
Denumire clasă	Earth leakage circuit breaker
Number of poles (total)	2
Number of protected poles	1
Rated voltage	230V
Rated current	13A
Rated fault current	0,01A
Leakage current type	A
Current limiting class	3
Rated short-circuit breaking capacity according to EN 61009	6kA
Frequency	50 Hz
Release characteristic	B
Concurrently switching neutral conductor	Da
Width in number of modular spacings	1
Built-in depth	69mm
Degree of protection (IP)	IP20
Connectable conductor cross section solid-core	1…10mm²
Connectable conductor cross section multi-wired	1…10mm²

Desen cotat



Simbol/Conexiune

