ETITEC V T2 280/20 4+0

Protecție supratensiuni



Cod ETI:	**002443014**
Funcție:	**SPD**
Tip:	**T2**
Tensiune maximă de funcționare continuă în AC Uc:	**280 V**
In (8/20) :	**20 kA**
Imax(8/20):	**40 kA**
Tip curent:	**AC**
Tensiune nominală AC:	**230 V**
Parte superioara - Nivel de protectie a tensiunii:	**1,3 kV**
Semnalare la distanță :	✗
Curent de scurgere :	✓
Sistem rețea:	**TN-S**
Numarul de module :	**4**
Adancime incorporata:	**68 mm**
Tehnologie aplicata :	**MOV**
Grup Catalog:	**ETITEC V**

Pagina online a produsului

Documente

CATALOG DATE TEHNICE

MANUAL DE INSTRUCȚIUNI

DECLARAȚIE CE

ETIM

System configuration other	✓
System configuration TN-C	✓
Max. conductor cross section flexible (fine-strand)	**25 mm²**
Max. discharge surge current (8/20)	**40 kA**
Number of conductors (without earthing)	**4**
Nominal voltage AC	**230 V**
Max. conductor cross section solid (solid, stranded)	**35 mm²**
Degree of protection (IP)	**IP20**
Mounting method	**DIN rail (top hat rail) 35 mm**
Construction size	**4 modular spacing**
Voltage protection level	**1,3 kV**
System configuration TN	✓
Signalling at the device	**Optical**
Category type 2	✓
System configuration TN-C-S	✓
Max. continuous voltage AC	**280 V**
Nominal discharge surge current (8/20)	**20 kA**

Logistică

Produs

Greutate	**0,42 kg**
Stock unit of measure	**pcs**

Ambalare de bază

Basic packaging quantity	**1 pcs**
EAN code for a basic packaging	**3838400175878**
Basic packaging weight	**0,442 kg**
Basic Packaging Dimensions Height	**70 mm**
Basic Packaging Dimensions Width	**75 mm**
Basic Packaging Dimensions Depth	**100 mm**
Basic packaging volume	**0,525 dm³**

Ambalare transport

Intermediate packaging quantity	**2 pcs**
EAN code for a intermediate packaging	**3838400175861**
Intermediate packaging weight	**0,989 kg**
Intermediate Packaging Dimensions Height	**78 mm**
Intermediate Packaging Dimensions Width	**105 mm**
Intermediate Packaging Dimensions Depth	**183 mm**
Transport packaging quantity	**24 pcs**
EAN code for a transport packaging	**3838400175854**
Transport packaging weight	**12,628 kg**
Transport Packaging Dimensions Height	**290 mm**
Transport Packaging Dimensions Width	**210 mm**
Transport Packaging Dimensions Depth	**460 mm**
Transport packaging volume	**28,014 dm³**
Pallet quantity	**960 pcs**
Customs tariff	**85363030**