ECG42PT

Cutie distribuție



Cod ETI:	**001101182**
Rânduri:	**3**
Grup Catalog:	**ECG Tablouri de distribuție încastrate IP40**
Tip ușă:	**Ușă din plastic**
Dimensiunea cadrului:	**36+6**
Tip montaj:	**Culoare aplicată**
Grad de protecție IP:	**IP40**
Dimensiune (numarul de randuri) :	**3**
Numarul de module (total / pe rand) :	**42/14**
Usa (material, culoare) :	**Plastic, Transparent**
Parte inferioara cutie (material, culoare) :	**Plastic, Alb**
Numarul de terminale PE/N (conexiuni) :	**15**
Test pentru fire:	**650 °C**
Tensiune nominală DC:	**400 V**
Clasa de protectie :	**II**
Curent nominal:	**63 A**
Tensiune nominală AC:	**400 V**

Pagina online a produsului

Documente

CATALOG DATE TEHNICE

MANUAL DE INSTRUCȚIUNI

DECLARAȚIE CE

FIȘIER 2D

FIȘIER 3D

FIȘIER EPLAN

ETIM

Built-in depth	**87 mm**
Width	**346 mm**
DIN-rail	✓
Type of covering	**Door**
Neutral terminal block	✓
Transparent cover/door	✓
Degree of protection (IP)	**IP40**
Mounting method	**Flush-mounted**
Earthing terminal block	✓
Built-in height	**549 mm**
Number of rows	**3**
Housing material	**Plastic**
Depth	**87 mm**
Built-in width	**306 mm**
Colour	**White**
Type of door	**Single**
Cover model	**Closed**
Height	**592 mm**
Width in number of modular spacings	**12**
RAL-number	**9.003**

Logistică

Produs

Greutate	**2,55 kg**
Net width	**425 mm**
Net height	**591,7 mm**
Net depth	**98,02 mm**
Stock unit of measure	**pcs**

Ambalare transport

Transport packaging quantity	**1 pcs**
EAN code for a transport packaging	**3838895838999**
Transport packaging weight	**3,1 kg**
Transport Packaging Dimensions Height	**600 mm**
Transport Packaging Dimensions Width	**354 mm**
Transport Packaging Dimensions Depth	**133 mm**
Transport packaging volume	**28,249 dm³**
Pallet quantity	**56 pcs**
Customs tariff	**85381000**

Dimension

Flush mounted distribution board						
type	Dimensions					Max. allowed power losses when Max. number of devices are installed
	A	B	C	H	W	Pde
ECG14	274 mm	306 mm	87 mm	317 mm	346 mm	31 W
ECG28	399 mm	306 mm	87 mm	442 mm	346 mm	40 W
ECG42	549 mm	306 mm	87 mm	592 mm	346 mm	50 W
ECG56	673 mm	306 mm	87 mm	717 mm	346 mm	60 W
ECG70	799 mm	306 mm	87 mm	842 mm	346 mm	70 W

